

Sliding door without rail with centre lock are the perfect solution where unrestricted height clearance is required and where a large opening is needed. The door is a good choice where goods must be moved using an overhead travelling crane or fork lift truck.

Maximum height is 2300 mm and maximum width is 2800. **The maximum width varies depending on the used locking solution.*

(Posts, handles and panels are not included in the door package. Opening dimensions may be limited depending on the type of lock chosen.)

Models

Height 2300 mm 5 articles

ARTICLES / DESCRIPTION	MAX OPENING WIDTH (MM)	MAX HEIGHT (MM)	PANEL	FITS POSTS
D27-XXX180 Sliding door without rail, centre lock	1740	2300	Mesh	Classic 50x50
D27-XXX280 Sliding door without rail, centre lock	2740	2300	Mesh	Classic 50x50
D47-XXX580 Sliding door without rail, centre lock	5760	2470	Mesh	Premium 70x70
DP27-XXX180 Double sliding doors w/o upper frame - centre lock	1740	2300	Plastic Sheet metal	Classic 50x50
DP27-XXX280 Double sliding doors w/o upper frame - centre lock	2740	2300	Plastic Sheet metal	Classic 50x50

Height 2500 mm 6 articles

ARTICLES / DESCRIPTION	MAX OPENING WIDTH (MM)	MAX HEIGHT (MM)	PANEL	FITS POSTS
D29-XXX380 Sliding door without rail with centre lock	3640	2500	Mesh	Classic 50x50
D29-XXX480 Sliding door without rail with centre lock	4640	2500	Mesh	Classic 50x50
D29-XXX580 Sliding door without rail with centre lock	5640	2500	Mesh	Classic 50x50
DP29-XXX380 Sliding door without rail with centre lock	3640	2300	Plastic Sheet metal	Classic 50x50 Premium 70x70
DP29-XXX480 Sliding door without rail with centre lock	4640	2300	Plastic Sheet metal	Classic 50x50 Premium 70x70
DP29-XXX580 Sliding door without rail with centre lock	5640	2300	Plastic Sheet metal	Classic 50x50 Premium 70x70

Related products

Support wheel

An extra support wheel would not go amiss on some types of door solutions. Our range now includes a new smart support wheel that fits both hinged and sliding doors.

[2 articles](#)

Kick plate

We offer two different packages of Kick plates, one for panels and one for doors. This Kick plate fits: X-Rail X-Guard Lite, Classic and Premium X-Store 2.0

[35 articles](#)

Switches and Switch fittings

Axelent works closely with a number of interlock switch market leaders such as Allen-Bradley, Siemens, Euchner, ABB Jokab and Telemecanique. The wide range of products we can supply to our customer...

[44 articles](#)

Snap lock

Snap lock is widely used on machine guards in conjunction with switches. One press and the door closes and remains closed thanks to the lock's snap function. The lock can also be supplemented with...

[4 articles](#)

Hitch lock

This lock is an alternative to our X-lock and has an integrated mounting for non-contact switches. The lock has an adjustable hitch for eliminating any internal play. The handle is spring-loaded to...


[3 articles](#)



X-Lock

X-Lock is a versatile door lock system that suits all our accident prevention series. Using X-Lock and a door kit, you can transform any accident prevention panel into a door with a secure locking...

[5 articles](#)



Padlock brackets

Padlock brackets are our very simplest lock system. A standard hinge lock prevents unauthorized access.

[3 articles](#)



Bail handle

The bail handle, c/c 150 mm, is supplied as a set of 2 pieces and an attachment.

[1 articles](#)



Kick plate

We offer two different packages of Kick plates, one for panels and one for doors. This Kick plate fits: X-Rail X-Guard Lite, Classic and Premium X-Store 2.0

[35 articles](#)