

Plastpanel

Plastpaneler er en holdbar og let løsning til maskinafskærmning i industrien. Med høj slagfasthed, kemisk resistens og rengøringsvenlige overflader sikres optimal maskinsikkerhed, samtidig med at det fulde udsyn bevares. Panelerne er enkle at integrere i X-Guard-systemet og udgør en pålidelig og omkostningseffektiv afskærmning.

Hæv sikkerheden på arbejdspladsen med X-Guard plastpaneler – en alsidig løsning designet specifikt til industrielle miljøer. Panelerne er fremstillet af slidstærk, slagfast plast, der effektivt beskytter mod flyvende emner, utilsigtede påkørsler og kemisk påvirkning. Det lette design sikrer hurtig installation og fleksibilitet, mens det gennemsigtige materiale giver et klart overblik over de automatiserede processer.

X-Guard plastpaneler er ideelle til industrier med strenge hygiejnekrav, da de er nemme at rengøre og modstandsdygtige over for bakterievækst. Dette gør dem til det oplagte valg til fødevarerproduktion og farmaceutiske faciliteter. Panelerne er udviklet til sømløs integration med X-Guard stolper og dørssystemer, hvilket gør dem til et stærkt alternativ til traditionel metalafskærmning.

X-Guard plastpaneler tåler temperaturer op til 60 °C og kombinerer styrke, fleksibilitet og effektivitet – uden at gå på kompromis med produktiviteten. For ekstra beskyttelse kan den medfølgende dæklister monteres for at eliminere lysningen mellem panel og stolpe.



Improve workplace safety with X-Guard plastic panels, a versatile safety fence solution designed for industrial safety applications. Made from durable, impact-resistant plastic, these panels effectively guard against small flying objects, accidental collisions, and chemical exposure, promoting a secure working environment. Their lightweight design allows for easy installation and repositioning, while their transparent material provides clear visibility of automated processes.

Ideal for industries requiring strict hygiene standards, X-Guard plastic panels are easy to clean and resistant to bacterial buildup, making them a smart choice for food processing and pharmaceutical facilities. Designed to integrate seamlessly with X-Guard posts and door systems, these panels offer a cost-effective alternative to traditional metal guarding solutions.

Built to withstand temperatures up to 60°C, X-Guard plastic panels combine strength, flexibility, and efficiency—ensuring optimal machine safety without compromising productivity. For more protection, install the included cover

strip to eliminate gaps between the panel and post.

Modeller

Højde 750 mm 6 artikler

ARTIKLER / BESKRIVELSE	BREDDE (MM)	HØJDE (MM)	FARVE
 W348-075025 Transparent	250	750	
 W348-075040 Transparent	400	750	
 W348-075080 Transparent	800	750	
 W348-075100 Transparent	1000	750	
 W348-075120 Transparent	1200	750	
 W348-075150 Transparent	1500	750	

Højde 2200 mm 6 artikler

ARTIKLER / BESKRIVELSE	BREDDE (MM)	HØJDE (MM)	FARVE
 W348-220025 Transparent	250	2200	
 W348-220040 Transparent	400	2200	
 W348-220080 Transparent	800	2200	
 W348-220100 Transparent	1000	2200	



W348-220120
Transparent

1200

2200



W348-220150
Transparent

1500

2200

Relaterede produkter



Tildækningsbånd

A cover strip is available which can be used to cover gaps between posts and panels. It comes in heights of 750, 1900 and 2200 mm. Cover strips in black (RAL 9011) are included in the delivery of s...

[5 artikler](#)



Fyldningsmetalplader faste/justerbare

An infill sheet metal functions as a filler when a guard needs a certain width. Fixed infill pieces are available for all heights and in 40 and 70 mm widths. The adjustable infill piece covers gaps...

[15 artikler](#)