Netpanel Lite

Netpanel Lite er en tyndere og lettere version af standard X-Guard-systemet.

Panelet fås i tre højder og fås i 13 forskellige bredder.










Maskestørrelsen er 50x30 mm. Nettet er opbygget af lodrette tråde med en diameter på 3 mm og vandrette tråde på 2,5 mm. Den anbefalede sikkerhedsafstand er 200 mm.

Panelerne leveres som standard i sort (RAL 9011), men specialfarver tilbydes efter ønske.



Modeller







Højde 1300 mm 13 artikler

ARTIKLER / BESKRIVELSE	BREDDE (MM)	HØJDE (MM)	NETÅBNING	FARVE
W312-130025	250	1300	50x30	Graphite Black (RAL 9011)
W312-130040	400	1300	50x30	Graphite Black (RAL 9011)




	**W312-130050**	500	1300	50x30	Graphite Black (RAL 9011)
	**W312-130060**	600	1300	50x30	Graphite Black (RAL 9011)
	**W312-130070**	700	1300	50x30	Graphite Black (RAL 9011)
	**W312-130080**	800	1300	50x30	Graphite Black (RAL 9011)
	**W312-130090**	900	1300	50x30	Graphite Black (RAL 9011)
	**W312-130100**	1000	1300	50x30	Graphite Black (RAL 9011)
	**W312-130110**	1100	1300	50x30	Graphite Black (RAL 9011)
	**W312-130120**	1200	1300	50x30	Graphite Black (RAL 9011)
	**W312-130130**	1300	1300	50x30	Graphite Black (RAL 9011)
	**W312-130140**	1400	1300	50x30	Graphite Black (RAL 9011)
	**W312-130150**	1500	1300	50x30	Graphite Black (RAL 9011)





Højde 1900 mm 13 artikler

ARTIKLER / BESKRIVELSE		BREDDE (MM)	HØJDE (MM)	NETÅBNING	FARVE
	**W312-190025**	250	1900	50x30	Graphite Black (RAL 9011)
	**W312-190040**	400	1900	50x30	Graphite Black (RAL 9011)
	**W312-190050**	500	1900	50x30	Graphite Black (RAL 9011)

	**W312-190060**	600	1900	50x30	Graphite Black (RAL 9011)
	**W312-190070**	700	1900	50x30	Graphite Black (RAL 9011)
	**W312-190080**	800	1900	50x30	Graphite Black (RAL 9011)
	**W312-190090**	900	1900	50x30	Graphite Black (RAL 9011)
	**W312-190100**	1000	1900	50x30	Graphite Black (RAL 9011)
	**W312-190110**	1100	1900	50x30	Graphite Black (RAL 9011)
	**W312-190120**	1200	1900	50x30	Graphite Black (RAL 9011)
	**W312-190130**	1300	1900	50x30	Graphite Black (RAL 9011)
	**W312-190140**	1400	1900	50x30	Graphite Black (RAL 9011)
	**W312-190150**	1500	1900	50x30	Graphite Black (RAL 9011)

Højde 2200 mm 13 artikler

ARTIKLER / BESKRIVELSE	BREDDE (MM)	HØJDE (MM)	NETÅBNING	FARVE
 **W312-220025**	250	2200	50x30	Graphite Black (RAL 9011)
 **W312-220040**	400	2200	50x30	Graphite Black (RAL 9011)
 **W312-220050**	500	2200	50x30	Graphite Black (RAL 9011)
 **W312-220060**	600	2200	50x30	Graphite Black (RAL 9011)

	**W312-220070**	700	2200	50x30	Graphite Black (RAL 9011)
	**W312-220080**	800	2200	50x30	Graphite Black (RAL 9011)
	**W312-220090**	900	2200	50x30	Graphite Black (RAL 9011)
	**W312-220100**	1000	2200	50x30	Graphite Black (RAL 9011)
	**W312-220110**	1100	2200	50x30	Graphite Black (RAL 9011)
	**W312-220120**	1200	2200	50x30	Graphite Black (RAL 9011)
	**W312-220130**	1300	2200	50x30	Graphite Black (RAL 9011)
	**W312-220140**	1400	2200	50x30	Graphite Black (RAL 9011)
	**W312-220150**	1500	2200	50x30	Graphite Black (RAL 9011)

Relaterede produkter

STOLPER

Stolpe Lite 50x50mm

Stolpen Lite er 50x50 mm og fås i tre højder. Standardfarven er gul (RAL 1018), men der fås brugertilpassede farver efter anmodning.

3 artikler



Skærepakke

Panels may need to be cut to precise heights and widths in some environments. The X-Guard cutting pack can be used to help you cut panels and is available in both vertical and horizontal versions.

11 artikler



Propper

Black rubber plugs can be used to cover holes in posts which are not used. The plugs have both an aesthetic and functional use. Plugs are available both for the top of the post, for the smaller 'ke...

4 artikler



Klikbeslag

A number of brackets are available for X-Guard. These allow simple and quick attachment of panels to posts. The quick fittings has a top and a bottom attachment. The top fitting is a simple click-...

9 artikler