



- Extra robust tubular construction in both doors and walls.
- Can be combined with the F and FP systems.
- · Can be cut to suit existing construction.
- Can be supplied with a roof for ceiling heights exceeding 3.5 metres.
- The walls are painted in RAL 9018.

Product	Size (mm)	) Description
---------	-----------	---------------

Vertical tubes 30x20 Tubular steel frame, wall
Horizontal tubes 35x15 Tubular steel frame, wall
Vertical tubes 30x20 Tubular steel frame, door
Horizontal tubes 35x15 Tubular steel frame, door

Dimensions 50x65


40-4225750(1) 2000x710 Door opening dimensions 40-4225900(1) 2000x860 Door opening dimensions

# Models

### Door 2 articles

ARTICLES / DESCR	IPTION	WIDTH (MM)	HEIGHT (MM)
	<b>40-4225750</b> Door	750	2250
	<b>40-4225900</b> Door	900	2250

#### Lock solutions 6 articles



#### Wall section 10 articles

ARTICLES / DESCRIPTION	WIDTH (MM)	HEIGHT (MM)	
<b>40-2020</b> Wall section	200	2250	
<b>40-2025</b> Wall section	250	2250	
<b>40-2035</b> Wall section	350	2250	

<b>40-2040</b> Wall section	400	2250
<b>40-2055</b> Wall section	550	2250
<b>40-2060</b> Wall section	600	2250
<b>40-2080</b> Wall section	800	2250
<b>40-2100</b> Wall section	1000	2250
<b>40-2110</b> Wall section	1100	2250
<b>40-2120</b> Wall section	1200	2250

## **Accessories** 3 articles

ARTICLES / DESCRI	PTION	WIDTH (MM)	HEIGHT (MM)
	<b>34-00110</b> Fittings for number patch, F/FK system		
	<b>34-00120</b> Shelf, double mounting. 1200x400 mm		
	<b>34-00130</b> Shelf, single mounting. 1200x400 mm		