Posts

We have two different posts which comes in the sizes 50x50mm and 70x70mm. The Premium 70x70 mm and Classic 50x50 mm posts offer customizable, robust solutions for secure installations, featuring multiple heights, colors, and unique design elements for ease of fitting and aesthetic appeal.

The Premium 70x70 mm and Classic 50x50 mm posts both offer versatile and robust solutions for machine guarding and other applications. Available in several heights, both types come with an extension piece, the Premium offering four different heights and the Classic a single extension of 750 mm. The posts are designed to meet various needs, with the Premium post being particularly suitable when a more robust and higher guard is required.

Both post types are available in standard colours of Zinc yellow (RAL 1018), Graphite Black (RAL 9011), and Traffic Red (RAL 3020), with the Premium also available in Traffic Red (RAL 3020) and the Classic offering an additional option of Signal Blue (RAL 5005). Customised colours can be requested for further personalisation.

The Premium post features a separate foot that can be attached at four different angles, providing an optimal solution for tight spaces due to its non-centred foot plate. This design enhances the post's adaptability and functionality. The Classic post, on the other hand, comes with a foot cover that conceals the welded foot, offering a sleek design that simplifies cleaning processes.

Both posts are equipped with holes punched on three sides to simplify the fitting process and ensure a secure installation with a floor gap of 100 mm. To facilitate mounting, top plugs and expansion bolts for floor fixing are included with both types of posts. The Premium post's black foot adds a distinctive touch to its design, enhancing its aesthetic appeal and functional versatility.

Models

Zink Yellow | RAL 1018 9 articles

ARTICLES / DESCRIPTION	HEIGHT (MM)	COLOR
P11-140 50x50	1400	Zinc Yellow (RAL 1018)
P13-140 70x70	1400	Zinc Yellow (RAL 1018)
P11-148 50x50	1480	Zinc Yellow (RAL 1018)
P11-200 50x50	2000	Zinc Yellow (RAL 1018)
P13-200 70x70	2000	Zinc Yellow (RAL 1018)
P11-230 50x50	2300	Zinc Yellow (RAL 1018)
P13-230 70x70	2300	Zinc Yellow (RAL 1018)
P11-250 50x50	2500	Zinc Yellow (RAL 1018)
P13-250 70x70	2500	Zinc Yellow (RAL 1018)

Graphite Black | RAL 9011 8 articles

ARTICLES / DESCRIPTION	HEIGHT (MM)	COLOR
P31-140 50x50	1400	Graphite Black (RAL 9011)
P33-140 70x70	1400	Graphite Black (RAL 9011)
P31-200 50x50	2000	Graphite Black (RAL 9011)

	P33-200 70x70	2000	Graphite Black (RAL 9011)
	P31-230 50x50	2300	Graphite Black (RAL 9011)
	P33-230 70x70	2300	Graphite Black (RAL 9011)
	P31-250 50x50	2500	Graphite Black (RAL 9011)
	P33-250 70x70	2500	Graphite Black (RAL 9011)

Traffic Red | RAL 3020 8 articles

ARTICLES / DESCRIPTION		HEIGHT (MM)	COLOR
	P71-140 50x50	1400	Traffic Red (RAL 3020)
	P73-140 70x70	1400	Traffic Red (RAL 3020)
	P71-200 50x50	2000	Traffic Red (RAL 3020)
	P73-200 70x70	2000	Traffic Red (RAL 3020)
	P71-230 50x50	2300	Traffic Red (RAL 3020)
	P73-230 70x70	2300	Traffic Red (RAL 3020)
	P71-250 50x50	2500	Traffic Red (RAL 3020)
	P73-250 70x70	2500	Traffic Red (RAL 3020)

Signal Blue | RAL 5005 4 articles

ARTICLES / DESCRIPTION	HEIGHT (MM)	COLOR
P21-140 50x50	1400	Signal Blue (RAL 5005)
P21-200 50x50	2000	Signal Blue (RAL 5005)
P21-230 50x50	2300	Signal Blue (RAL 5005)
P21-250 50x50	2500	Signal Blue (RAL 5005)

Related products

POSTS

Extensions

The Premium 70x70 and Classic 50x50 extensions enhance X-Guard posts with customizable heights and colors, including Zinc yellow, Graphite Black, Signal blue, and Traffic red, for versatile and coh...

22 articles

POSTS

Posts prepared for push buttons

The Classic 50x50 and Premium 70x70 mm posts, designed for up to five push buttons, offer a blend of functionality and safety with their protective cover plates, catering to needs for easy handling...

6 articles



PANELS

Mesh panel

X-Guard mesh panels come in two sizes of mesh; Premium 50x20 and Classic 50x30 mm. The safety distance determines the size of mesh required. The Classic 50x30 mesh requires a minimum distance of 20...

75 articles