Revestimiento de chapa

Cuando sea importante para el cliente que el protector tenga una anchura específica, se puede usar una pieza de revestimiento. Las piezas de revestimiento están disponibles para todas las alturas y en dos anchuras. La versión estándar es RAL 9011. No obstante, se puede adaptar a los requisitos del cliente.



The X-Guard infill sheet metal is designed to close gaps in machine guarding panels, ensuring a safe and seamless fit in industrial safety applications. Whether a fixed or adjustable width is required, these infill pieces help create a complete barrier without excessive panel cutting.

Fixed infill pieces are available for all standard heights in 40 mm and 70 mm widths. For greater flexibility, the adjustable infill piece covers gaps ranging from 40 mm to 145 mm, making it easier to adapt to different guard widths.

Thanks to the 100 mm interval between X-Guard panels, the need for custom cutting is significantly reduced, simplifying installation. The infill pieces come in RAL 9011 (black) as standard, with other colors available upon request.

Ideal for machine guarding systems, these infill panels help maintain a professional and safe environment while ensuring compliance with industrial safety standards.

Modelos

Chapa de relleno fija 10 artículos

	ARTÍCULOS / DESCRIPCIÓN	ANCHURA (MM)	ALTURA (MM)
	T02-3-07504	40	750
	T02-3-07507	70	750
	T02-3-13004	40	1300
	T02-3-13007	70	1300
	T02-3-19004	40	1900
	**T02-3-19007**	70	1900
	T02-3-22004	40	2200
	**T02-3-22007**	70	2200
	**T02-3-24004**	40	2400
	T02-3-24007	70	2400

Chapa de relleno ajustable 5 artículos

	ARTÍCULOS / DESCRIPCIÓN	ANCHURA (MM)	ALTURA (MM)
	T05-3-07515 40-145 mm		750
	T05-3-13015 40-145 mm		1300

	T05-3-19015 40-145 mm	1900
	T05-3-22015 40-145 mm	2200
	T05-3-24015 40-145 mm	2400