
Revestimiento de chapa

Cuando sea importante para el cliente que el protector tenga una anchura específica, se puede usar una pieza de revestimiento. Las piezas de revestimiento están disponibles para todas las alturas y en dos anchuras. La versión estándar es RAL 9011. No obstante, se puede adaptar a los requisitos del cliente.



The X-Guard infill sheet metal is designed to close gaps in machine guarding panels, ensuring a safe and seamless fit in industrial safety applications. Whether a fixed or adjustable width is required, these infill pieces help create a complete barrier without excessive panel cutting.




Fixed infill pieces are available for all standard heights in 40 mm and 70 mm widths. For greater flexibility, the adjustable infill piece covers gaps ranging from 40 mm to 145 mm, making it easier to adapt to different guard widths.

Thanks to the 100 mm interval between X-Guard panels, the need for custom cutting is significantly reduced, simplifying installation. The infill pieces come in RAL 9011 (black) as standard, with other colors available upon request.

Ideal for machine guarding systems, these infill panels help maintain a professional and safe environment while ensuring compliance with industrial safety standards.

Modelos

Chapa de relleno fija 10 artículos

	ARTÍCULOS / DESCRIPCIÓN	ANCHURA (MM)	ALTURA (MM)
	**T02-3-07504**	40	750
	**T02-3-07507**	70	750
	**T02-3-13004**	40	1300
	**T02-3-13007**	70	1300
	**T02-3-19004**	40	1900
	**T02-3-19007**	70	1900
	**T02-3-22004**	40	2200
	**T02-3-22007**	70	2200
	**T02-3-24004**	40	2400
	**T02-3-24007**	70	2400

Chapa de relleno ajustable 5 artículos

	ARTÍCULOS / DESCRIPCIÓN	ANCHURA (MM)	ALTURA (MM)
	**T05-3-07515** 40-145 mm		750
	**T05-3-13015** 40-145 mm		1300

	**T05-3-19015** 40-145 mm	1900
	**T05-3-22015** 40-145 mm	2200
	**T05-3-24015** 40-145 mm	2400