

安全柵ポスト(柱) Lite 50x50 mm

X-Guard Liteの安全柵ポスト(フレーム)は50x50 mmで、3種類の高さを用意しています。標準カラーはイエロー(RAL 1018)です。ご要望に応じてカスタムカラーも承ります。



The X-Guard Post Lite is a durable and practical solution for secure machine guarding installations. With a standardized size of 50x50 mm, it is designed for easy integration into various industrial environments. Available in three heights—1400 mm, 2000 mm, and 2300 mm—the Post Lite offers flexibility to meet different safety requirements.


To ensure stability and ease of installation, the post features pre-punched holes on three sides, allowing for quick and secure panel mounting. A 100 mm floor gap is maintained for optimized functionality, and each post comes with top plugs and expansion bolts for secure floor fixing.

Standard color options include Zinc Yellow (RAL 1018), Graphite Black (RAL 9011), and Traffic Red (RAL 3020), with customized colors available upon request. Designed for both efficiency and safety, the X-Guard Post Lite is the ideal choice for streamlined and effective machine guarding.

モデル

品目 / 本製品について	高さX幅 (MM)	色
P17-140	1400x50	Zinc Yellow (RAL 1018)
P17-200	2000x50	Zinc Yellow (RAL 1018)
P17-230	2300x50	Zinc Yellow (RAL 1018)

関連製品



PANELS

メッシュパネルライト

X-Guard Liteは、標準X-Guardシステムの薄型・軽量バージョンです。パネルの高さは3種類、幅は13種類からお選びいただけます。安全柵パネルの製品一覧を見る

39 品目



カッティングパッケージ

環境によって、パネルを正確な高さや幅にカットする必要があります。X-Guardカッティングパックは、パネルの切断に使用でき、垂直用と水平用の両方をご用意しています。

11 品目



クリック金具

アクセレント独自のクリック金具は、革新的な方法でパネルをポスト(柱)に取り付けることができます。考え抜かれた設計により、素早く簡単に取り付けすることができます。ユーザーの利便性に特化して上部・下部の金具はデザインされています。

9 品目



プラグ

使用しないポストの穴を塞ぐために使用する黒色のゴムプラグです。美観と機能的な用途の両方を兼ね備えています。プラグはポストの上部、小さな「鍵穴」、チューブに使用できます。

4 品目