


# Mesh panel Lite

X-Guard Lite is a thinner and lighter version of the standard X-Guard system.

The panel is available in three heights and are available in 13 different widths.



The size of mesh is cc 50x30 mm. The mesh consists of vertical wires of Ø 3 mm and horizontal wires of Ø 2.5 mm. The recommended safety distance is 200 mm.

The standard panel colour is black (RAL 9011) but customised colours are available upon request.

## Models

### Height 1300 mm 13 articles

| ARTICLES / DESCRIPTION                                                              |                    | WIDTH (MM) | HEIGHT (MM) | MESH APERTURE | COLOR                     |
|-------------------------------------------------------------------------------------|--------------------|------------|-------------|---------------|---------------------------|
|  | <b>W312-130025</b> | 250        | 1300        | 50x30         | Graphite Black (RAL 9011) |
|  | <b>W312-130040</b> | 400        | 1300        | 50x30         | Graphite Black (RAL 9011) |

|                                                                                     |                    |      |      |       |                           |
|-------------------------------------------------------------------------------------|--------------------|------|------|-------|---------------------------|
|    | <b>W312-130050</b> | 500  | 1300 | 50x30 | Graphite Black (RAL 9011) |
|    | <b>W312-130060</b> | 600  | 1300 | 50x30 | Graphite Black (RAL 9011) |
|    | <b>W312-130070</b> | 700  | 1300 | 50x30 | Graphite Black (RAL 9011) |
|    | <b>W312-130080</b> | 800  | 1300 | 50x30 | Graphite Black (RAL 9011) |
|    | <b>W312-130090</b> | 900  | 1300 | 50x30 | Graphite Black (RAL 9011) |
|    | <b>W312-130100</b> | 1000 | 1300 | 50x30 | Graphite Black (RAL 9011) |
|    | <b>W312-130110</b> | 1100 | 1300 | 50x30 | Graphite Black (RAL 9011) |
|   | <b>W312-130120</b> | 1200 | 1300 | 50x30 | Graphite Black (RAL 9011) |
|  | <b>W312-130130</b> | 1300 | 1300 | 50x30 | Graphite Black (RAL 9011) |
|  | <b>W312-130140</b> | 1400 | 1300 | 50x30 | Graphite Black (RAL 9011) |
|  | <b>W312-130150</b> | 1500 | 1300 | 50x30 | Graphite Black (RAL 9011) |

## Height 1900 mm 13 articles

| ARTICLES / DESCRIPTION                                                              |                    | WIDTH (MM) | HEIGHT (MM) | MESH APERTURE | COLOR                     |
|-------------------------------------------------------------------------------------|--------------------|------------|-------------|---------------|---------------------------|
|  | <b>W312-190025</b> | 250        | 1900        | 50x30         | Graphite Black (RAL 9011) |
|  | <b>W312-190040</b> | 400        | 1900        | 50x30         | Graphite Black (RAL 9011) |
|  | <b>W312-190050</b> | 500        | 1900        | 50x30         | Graphite Black (RAL 9011) |

|                                                                                     |                    |      |      |       |                           |
|-------------------------------------------------------------------------------------|--------------------|------|------|-------|---------------------------|
|    | <b>W312-190060</b> | 600  | 1900 | 50x30 | Graphite Black (RAL 9011) |
|    | <b>W312-190070</b> | 700  | 1900 | 50x30 | Graphite Black (RAL 9011) |
|    | <b>W312-190080</b> | 800  | 1900 | 50x30 | Graphite Black (RAL 9011) |
|    | <b>W312-190090</b> | 900  | 1900 | 50x30 | Graphite Black (RAL 9011) |
|    | <b>W312-190100</b> | 1000 | 1900 | 50x30 | Graphite Black (RAL 9011) |
|    | <b>W312-190110</b> | 1100 | 1900 | 50x30 | Graphite Black (RAL 9011) |
|    | <b>W312-190120</b> | 1200 | 1900 | 50x30 | Graphite Black (RAL 9011) |
|  | <b>W312-190130</b> | 1300 | 1900 | 50x30 | Graphite Black (RAL 9011) |
|  | <b>W312-190140</b> | 1400 | 1900 | 50x30 | Graphite Black (RAL 9011) |
|  | <b>W312-190150</b> | 1500 | 1900 | 50x30 | Graphite Black (RAL 9011) |

## Height 2200 mm 13 articles

| ARTICLES / DESCRIPTION                                                              |                    | WIDTH (MM) | HEIGHT (MM) | MESH APERTURE | COLOR                     |
|-------------------------------------------------------------------------------------|--------------------|------------|-------------|---------------|---------------------------|
|  | <b>W312-220025</b> | 250        | 2200        | 50x30         | Graphite Black (RAL 9011) |
|  | <b>W312-220040</b> | 400        | 2200        | 50x30         | Graphite Black (RAL 9011) |
|  | <b>W312-220050</b> | 500        | 2200        | 50x30         | Graphite Black (RAL 9011) |
|  | <b>W312-220060</b> | 600        | 2200        | 50x30         | Graphite Black (RAL 9011) |

|                                                                                     |                    |      |      |       |                           |
|-------------------------------------------------------------------------------------|--------------------|------|------|-------|---------------------------|
|    | <b>W312-220070</b> | 700  | 2200 | 50x30 | Graphite Black (RAL 9011) |
|    | <b>W312-220080</b> | 800  | 2200 | 50x30 | Graphite Black (RAL 9011) |
|    | <b>W312-220090</b> | 900  | 2200 | 50x30 | Graphite Black (RAL 9011) |
|    | <b>W312-220100</b> | 1000 | 2200 | 50x30 | Graphite Black (RAL 9011) |
|    | <b>W312-220110</b> | 1100 | 2200 | 50x30 | Graphite Black (RAL 9011) |
|    | <b>W312-220120</b> | 1200 | 2200 | 50x30 | Graphite Black (RAL 9011) |
|    | <b>W312-220130</b> | 1300 | 2200 | 50x30 | Graphite Black (RAL 9011) |
|   | <b>W312-220140</b> | 1400 | 2200 | 50x30 | Graphite Black (RAL 9011) |
|  | <b>W312-220150</b> | 1500 | 2200 | 50x30 | Graphite Black (RAL 9011) |

## Related products

---



### POSTS

#### Post Lite 50x50mm

The post for X-Guard Lite is 50x50 mm and available in three heights. The standard colour is yellow (RAL 1018) but customised colours are available upon request.

[3 articles](#)



### ACCESSORIES

#### Click fittings

Axelent's unique Click Fitting system simplifies panel installation with quick top and lower fittings. Secure panels effortlessly on all three sides of the post, ensuring a fast, hassle-free setup....

[9 articles](#)



### ACCESSORIES

#### Cutting package

Panels may need to be cut to precise heights and widths in some environments. The X-Guard cutting pack can be used to help you cut panels and is available in both vertical and horizontal versions.

[11 articles](#)



### ACCESSORIES

#### Plugs

Black rubber plugs can be used to cover holes in posts which are not used. The plugs have both an aesthetic and functional use. Plugs are available both for the top of the post, for the smaller 'ke...

[4 articles](#)