X-Roll-Up

Axelent's X-Roll-up is an excellent versatile alternative to doors where only a partial opening is required. For the implementation at manual workstations X-Roll-up is an ideal application for an effective and economical solution.



The manual roller door consists of a modular system with integrated spring loaded shaft and is available as standard in three widths and two heights. X-Roll-up wraps the aluminium rolling door during opening onto a shaft in the box at the top.

X-Roll-up is offered like a kit (including mounting material). Posts and wall section needs to be ordered separately. Integration into the X-Guard system is easy.

Heights: 2000 mm (2185 mm incl. top box) and 2300 mm (2485 mm incl. top box). Available in RAL 9011 (other colours available upon request).

Models

ARTICLES / DESCRIPTION	WIDTH (MM)
 **S-0145-15** post H: 2000 mm / 930 mm / 830 mm	800
 **S-0145-16** post H: 2000 / 1130 / 1030	1000
 **S-0145-17** Post H: 2000 / 1330 / 1230	1200
 **S-0145-18** Post H: 2300 / 930 / 830	800
 **S-0145-19** Post H: 2300 / 1130 / 1030	1000
 **S-0145-20** Post H: 2300 / 1330 / 1230	1200

Related products




POSTS

Posts

We have two different posts which comes in the sizes 50x50mm and 70x70mm. The Premium 70x70 mm and Classic 50x50 mm posts offer customizable, robust solutions for secure installations, featuri...

29 articles



PANELS

Mesh panel

X-Guard mesh panels come in two sizes of mesh; Premium 50x20 and Classic 50x30 mm. The safety distance determines the size of mesh required. The Classic 50x30 mesh requires a minimum distance of 20...

75 articles