


Sliding door without rail with centre lock

Sliding door without rail with centre lock are the perfect solution where unrestricted height clearance is required and where a large opening is needed. The door is a good choice where goods must be moved using an overhead travelling crane or fork lift truck.




Maximum height is 2300 mm and maximum width is 2800. **The maximum width varies depending on the used locking solution.*



(Posts, handles and panels are not included in the door package. Opening dimensions may be limited depending on the type of lock chosen.)

Models

Height 2300 mm 5 articles

ARTICLES / DESCRIPTION	MAX OPENING WIDTH (MM)	MAX HEIGHT (MM)	PANEL	FITS POSTS
 D27-XXX180 Sliding door without rail, centre lock	1740	2300	Mesh	Classic 50x50
 D27-XXX280 Sliding door without rail, centre lock	2740	2300	Mesh	Classic 50x50
 D47-XXX580 Sliding door without rail, centre lock	5760	2470	Mesh	Premium 70x70
 DP27-XXX180 Double sliding doors w/o upper frame - centre lock	1740	2300	Plastic Sheet metal	Classic 50x50
 DP27-XXX280 Double sliding doors w/o upper frame - centre lock	2740	2300	Plastic Sheet metal	Classic 50x50

Height 2500 mm 6 articles

ARTICLES / DESCRIPTION	MAX OPENING WIDTH (MM)	MAX HEIGHT (MM)	PANEL	FITS POSTS
 D29-XXX380 Sliding door without rail with centre lock	3640	2500	Mesh	Classic 50x50
 D29-XXX480 Sliding door without rail with centre lock	4640	2500	Mesh	Classic 50x50
 D29-XXX580 Sliding door without rail with centre lock	5640	2500	Mesh	Classic 50x50
 DP29-XXX380 Sliding door without rail with centre lock	3640	2300	Plastic Sheet metal	Classic 50x50 Premium 70x70
 DP29-XXX480 Sliding door without rail with centre lock	4640	2300	Plastic Sheet metal	Classic 50x50 Premium 70x70
 DP29-XXX580 Sliding door without rail with centre lock	5640	2300	Plastic Sheet metal	Classic 50x50 Premium 70x70

Related products



X-Lock

X-Lock is a versatile door lock system that suits all our accident prevention series. Using X-Lock and a door kit, you can transform any accident prevention panel into a door with a secure locking...

[5 articles](#)



Hitch lock

This lock is an alternative to our X-lock and has an integrated mounting for non-contact switches. The lock has an adjustable hitch for eliminating any internal play. The handle is spring-loaded to...

[3 articles](#)



Snap lock

Snap lock is widely used on machine guards in conjunction with switches. One press and the door closes and remains closed thanks to the lock's snap function. The lock can also be supplemented with...

[4 articles](#)



Interlocks and Switch Fittings

Axellent works closely with a number of interlock switch market leaders such as Allen-Bradley, Siemens, Euchner, ABB Jokab and Telemecanique. The wide range of products we can supply to our customer...

[44 articles](#)



Padlock brackets

Padlock brackets are our very simplest lock system. Please note no padlock is included and this locking method is not suitable on its own for machine guarding without other safety features.

[3 articles](#)



Bail handle

A simple static handle to hold for door openings. Perfect if you plan on using your own locking solution. Comes as a pair for back to back fitting.

[1 articles](#)



Kick plate

We offer two different packages of Kick plates, one for panels and one for doors. This Kick plate fits: X-Rail X-Guard Lite, Classic and Premium X-Store 2.0

[35 articles](#)



Support wheel

An extra support wheel would not go amiss on some types of door solutions. Our range now includes a new smart support wheel that fits both hinged and sliding doors.

[2 articles](#)



Kick plate

We offer two different packages of Kick plates, one for panels and one for doors. This Kick plate fits: X-Rail X-Guard Lite, Classic and Premium X-Store 2.0

[35 articles](#)