


Triple sliding door with 3-step rail

A triple telescopic sliding door with rails is used where a large opening is required but where space is limited in the sideways direction. The panels overlap each other instead sliding to the side.



Maximum height is 2500 mm and maximum width is 3x1500 mm. **The maximum width varies depending on the used locking solution.*

(Posts, handles and panels are not included in the door package. Opening dimensions may be limited depending on the type of lock chosen.)

Models

Height 2000 mm 4 articles

ARTICLES / DESCRIPTION	MAX OPENING WIDTH (MM)	MAX HEIGHT (MM)	PANEL	FITS POSTS
 D23-200450R Triple sliding door with 3-step rail	4360	2150	Mesh	Classic 50x50
 D23-200450L Triple sliding door with 3-step rail	4360	2150	Mesh	Classic 50x50
 D43-200450R Triple sliding door with 3-step rail	4385	2150	Mesh	Premium 70x70
 D43-200450L Triple sliding door with 3-step rail	4385	2150	Mesh	Premium 70x70

Height 2300 mm 4 articles

ARTICLES / DESCRIPTION	MAX OPENING WIDTH (MM)	MAX HEIGHT (MM)	PANEL	FITS POSTS
 D23-230450R Triple sliding door with 3-step rail	4360	2450	Mesh Plastic Sheet metal	Classic 50x50
 D23-230450L Triple sliding door with 3-step rail	4360	2450	Mesh Plastic Sheet metal	Classic 50x50
 D43-230450R Triple sliding door with 3-step rail	4385	2450	Mesh	Premium 70x70
 D43-230450L Triple sliding door with 3-step rail	4385	2450	Mesh Plastic Sheet metal	Premium 70x70

Height 2500 mm 4 articles

ARTICLES / DESCRIPTION	MAX OPENING WIDTH (MM)	MAX HEIGHT (MM)	PANEL	FITS POSTS
 D23-250450L Triple sliding door with 3-step rail	4360	2650	Mesh	Classic 50x50
 D23-250450R Triple sliding door with 3-step rail	4360	2650	Mesh	Classic 50x50

**D43-250450L**

Triple sliding door with 3-step rail

4385

2650

Mesh

Premium 70x70

**D43-250450R**

Triple sliding door with 3-step rail

4385

2650

Mesh

Premium 70x70

Related products

**X-Lock**

X-Lock is a versatile door lock system that suits all our accident prevention series. Using X-Lock and a door kit, you can transform any accident prevention panel into a door with a secure locking...

[5 articles](#)**Hitch lock**

This lock is an alternative to our X-lock and has an integrated mounting for non-contact switches. The lock has an adjustable hitch for eliminating any internal play. The handle is spring-loaded to...

[3 articles](#)**Snap lock**

Snap lock is widely used on machine guards in conjunction with switches. One press and the door closes and remains closed thanks to the lock's snap function. The lock can also be supplemented with...

[4 articles](#)**Interlocks and Switch Fittings**

Axellent works closely with a number of interlock switch market leaders such as Allen-Bradley, Siemens, Euchner, ABB Jokab and Telemecanique. The wide range of products we can supply to our customer...

[44 articles](#)



Padlock brackets

Padlock brackets are our very simplest lock system. Please note no padlock is included and this locking method is not suitable on its own for machine guarding without other safety features.

[3 articles](#)



Bail handle

A simple static handle to hold for door openings. Perfect if you plan on using your own locking solution. Comes as a pair for back to back fitting.

[1 articles](#)



Kick plate

We offer two different packages of Kick plates, one for panels and one for doors. This Kick plate fits: X-Rail X-Guard Lite, Classic and Premium X-Store 2.0

[35 articles](#)



Support wheel

An extra support wheel would not go amiss on some types of door solutions. Our range now includes a new smart support wheel that fits both hinged and sliding doors.

[2 articles](#)



Kick plate

We offer two different packages of Kick plates, one for panels and one for doors. This Kick plate fits: X-Rail X-Guard Lite, Classic and Premium X-Store 2.0

[35 articles](#)