


Mesh panel Lite

X-Guard Lite is a thinner and lighter version of the standard X-Guard system.

The panel is available in three heights and are available in 13 different widths.



The size of mesh is cc 50x30 mm. The mesh consists of vertical wires of Ø 3 mm and horizontal wires of Ø 2.5 mm. The recommended safety distance is 200 mm.

The standard panel colour is black (RAL 9011) but customised colours are available upon request.

Models

Height 1300 mm 13 articles

ARTICLES / DESCRIPTION		WIDTH (MM)	HEIGHT (MM)	MESH APERTURE	COLOR
	W312-130025	250	1300	50x30	Graphite Black (RAL 9011)
	W312-130040	400	1300	50x30	Graphite Black (RAL 9011)

	W312-130050	500	1300	50x30	Graphite Black (RAL 9011)
	W312-130060	600	1300	50x30	Graphite Black (RAL 9011)
	W312-130070	700	1300	50x30	Graphite Black (RAL 9011)
	W312-130080	800	1300	50x30	Graphite Black (RAL 9011)
	W312-130090	900	1300	50x30	Graphite Black (RAL 9011)
	W312-130100	1000	1300	50x30	Graphite Black (RAL 9011)
	W312-130110	1100	1300	50x30	Graphite Black (RAL 9011)
	W312-130120	1200	1300	50x30	Graphite Black (RAL 9011)
	W312-130130	1300	1300	50x30	Graphite Black (RAL 9011)
	W312-130140	1400	1300	50x30	Graphite Black (RAL 9011)
	W312-130150	1500	1300	50x30	Graphite Black (RAL 9011)







Height 1900 mm 13 articles

ARTICLES / DESCRIPTION		WIDTH (MM)	HEIGHT (MM)	MESH APERTURE	COLOR
	W312-190025	250	1900	50x30	Graphite Black (RAL 9011)
	W312-190040	400	1900	50x30	Graphite Black (RAL 9011)
	W312-190050	500	1900	50x30	Graphite Black (RAL 9011)

	W312-190060	600	1900	50x30	Graphite Black (RAL 9011)
	W312-190070	700	1900	50x30	Graphite Black (RAL 9011)
	W312-190080	800	1900	50x30	Graphite Black (RAL 9011)
	W312-190090	900	1900	50x30	Graphite Black (RAL 9011)
	W312-190100	1000	1900	50x30	Graphite Black (RAL 9011)
	W312-190110	1100	1900	50x30	Graphite Black (RAL 9011)
	W312-190120	1200	1900	50x30	Graphite Black (RAL 9011)
	W312-190130	1300	1900	50x30	Graphite Black (RAL 9011)
	W312-190140	1400	1900	50x30	Graphite Black (RAL 9011)
	W312-190150	1500	1900	50x30	Graphite Black (RAL 9011)

Height 2200 mm 13 articles

ARTICLES / DESCRIPTION		WIDTH (MM)	HEIGHT (MM)	MESH APERTURE	COLOR
	W312-220025	250	2200	50x30	Graphite Black (RAL 9011)
	W312-220040	400	2200	50x30	Graphite Black (RAL 9011)
	W312-220050	500	2200	50x30	Graphite Black (RAL 9011)
	W312-220060	600	2200	50x30	Graphite Black (RAL 9011)

	W312-220070	700	2200	50x30	Graphite Black (RAL 9011)
	W312-220080	800	2200	50x30	Graphite Black (RAL 9011)
	W312-220090	900	2200	50x30	Graphite Black (RAL 9011)
	W312-220100	1000	2200	50x30	Graphite Black (RAL 9011)
	W312-220110	1100	2200	50x30	Graphite Black (RAL 9011)
	W312-220120	1200	2200	50x30	Graphite Black (RAL 9011)
	W312-220130	1300	2200	50x30	Graphite Black (RAL 9011)
	W312-220140	1400	2200	50x30	Graphite Black (RAL 9011)
	W312-220150	1500	2200	50x30	Graphite Black (RAL 9011)

Related products



ACCESSORIES

Click fittings

Axelent's unique Click Fitting system simplifies panel installation with quick top and lower fittings. Secure panels effortlessly on all three sides of the post, ensuring a fast, hassle-free setup....

[9 articles](#)



ACCESSORIES

Cutting package

Panels may need to be cut to precise heights and widths in some environments. The X-Guard cutting pack can be used to help you cut panels and is available in both vertical and horizontal versions.

[11 articles](#)



ACCESSORIES

Plugs

Black rubber plugs can be used to cover holes in posts which are not used. The plugs have both an aesthetic and functional use. Plugs are available both for the top of the post, for the smaller 'ke...

[4 articles](#)



POSTS

Post Lite 50x50mm

The post for X-Guard Lite is 50x50 mm and available in three heights. The standard colour is yellow (RAL 1018) but customised colours are available upon request.

[3 articles](#)